ELSEVIER

Nuclear Engineering and Design 155 (1995) 657–659

Nuclear Engineering and Design

# Author Index of Volume 155

Abdel-Khalik, S.I., see Skelton, W.T.W. 155 (1995) 359
Akiyama, M., see Ohashi, H. 155 (1995) 67
Allen, M.D., M.M. Pilch, R.O. Griffith and T.K. Blanchat, Experimental results of integral effects tests with 1/10th scale Zion subcompartment structures in the Surtsey test facility 155 (1995) 475
Anderson, R.P., see Cho, D.H. 155 (1995) 405
Angelini, S., W.W. Yuen and T.G. Theofanous, Premixing-related behavior of steam explosions 155 (1995) 115
Armstrong, D.R., see Cho, D.H. 155 (1995) 405
Attwood, G.J., see Turland, B.D. 155 (1995) 445
Austregesilo, H., see Vijayan, P.K. 155 (1995) 623

Berg, E.v., see Bürger, M. 155 (1995) 215
Blanchat, T.K., see Allen, M.D. 155 (1995) 475
Brear, D.J., see Kondo, S. 155 (1995) 73
Bruckert, B., see Frost, D.L. 155 (1995) 311
Bürger, M., S.H. Cho, E.v. Berg and A. Schatz, Breakup of melt jets as pre-condition for premixing: Modeling and experimental verification 155 (1995) 215

Chang, Y., H. Dong and D. , Some features of the nuclear heating reactor (NHR) design in China 155 (1995) 597
Chavez, S.A., D.L. Kelly, R.J. Witt and D.P. Stirn, Comparison of stress-based and strain-based creep failure criteria for severe accident analysis 155 (1995) 603
Chen, Y., see Ohashi, H. 155 (1995) 67
Cho, D.H., D.R. Armstrong and R.P. Anderson, Combined vapor and chemical explosions of metals and water 155 (1995) 405
Cho, S.H., see Bürger, M. 155 (1995) 215
Chu, C.C., J.J. Sienicki, B.W. Spencer, W. Frid and G. Löwenhielm, Ex-vessel melt–coolant interactions in deep water pool: studies and accident management for Swedish BWRs 155 (1995) 159
Ciccarelli, G., see Frost, D.L. 155 (1995) 311

Denham, M.K., see Fletcher, D.F. 155 (1995) 85
Dong, H., see Chang, Y. 155 (1995) 597
Dowling, M.F., see Skelton, W.T.W. 155 (1995) 359

Fauske, M.E.H.K., On the likelihood that underwater metal ignition is a vapor phase phenomenon 155 (1995) 427
Fletcher, D.F., Propagation investigations using the CULDESAC model 155 (1995) 271
Fletcher, D.F., see Hall, R.W. 155 (1995) 97
Fletcher, D.F., see Turland, B.D. 155 (1995) 445
Fletcher, D.F. and M.K. Denham, Validation of the CHYMES mixing model 155 (1995) 85
Fletcher, D.F., Steam explosion triggering: a review of theoretical and experimental investigations 155 (1995) 27
Frid, W., see Chu, C.C. 155 (1995) 159
Frost, D.L., B. Bruckert and G. Ciccarelli, Effect of boundary conditions on the propagation of a vapor explosion in stratified molten tin/water systems 155 (1995) 311
Fröhlich, G., see Zimanowski, B. 155 (1995) 335
Furutani, A., see Kondo, S. 155 (1995) 73

Griffith, R.O., see Allen, M.D. 155 (1995) 475

Hall, R.W. and D.F. Fletcher, Validation of CHYMES: simulant studies 155 (1995) 97
Henry, R.E., Externally triggered steam explosion experiments: amplification or propagation? 155 (1995) 37
Hidaka, A., see Yamano, N. 155 (1995) 369
Hirayama, H., see Takakura, K. 155 (1995) 559
Hirayama, H., see Wada, H. 155 (1995) 519
Hirayama, H., see Wada, H. 155 (1995) 547
Hodges, K.I., see Turland, B.D. 155 (1995) 445
Hohmann, H., see Magallon, D. 155 (1995) 253
Hohmann, H., D. Magallon, H. Schins and A. Yerkess, FCI experiments in the aluminum oxide/water system 155 (1995) 391

Ichimiya, M., see Takakura, K. 155 (1995) 559
Ichimiya, M., see Wada, H. 155 (1995) 519
Ichimiya, M., see Wada, H. 155 (1995) 547
Imahori, S., see Kondo, S. 155 (1995) 73
Imazu, A., see Tsukimori, K. 155 (1995) 571
Inoue, A., K. Takahashi, M. Takahashi and M. Matsuzaki, Transient film boiling under transient conditions related to vapor explosion (effects of transient flow and fragmentation under a shock pressure) 155 (1995) 55
Isozaki, M., see Kondo, S. 155 (1995) 73
Iwata, K., see Kasahara, N. 155 (1995) 499
Iwata, K., see Tsukimori, K. 155 (1995) 571

Kakodkar, A., see Moorthy, R.I.K. 155 (1995) 591
Kasahara, N., T. Nagata, K. Iwata and H. Negishi, Advanced creep–fatigue evaluation rule for fast breeder reactor components: generalization of elastic follow-up model 155 (1995) 499
Kelly, D.L., see Chavez, S.A. 155 (1995) 603
Kondo, S., K. Konishi, M. Isozaki, S. Imahori, A. Furutani and D.J. Brear, Experimental study on simulated molten jet–coolant 155 (1995) 73
Konishi, K., see Kondo, S. 155 (1995) 73
Kudo, T., see Yamano, N. 155 (1995) 369

Lorenz, V., see Zimanowski, B. 155 (1995) 335
Löwenhielm, G., see Chu, C.C. 155 (1995) 159

Magallon, D., see Hohmann, H. 155 (1995) 391
Magallon, D. and H. Hohmann, High pressure corium melt quenching tests in FARO 155 (1995) 253
Maruyama, Y., see Yamano, N. 155 (1995) 369
Matsuzaki, M., see Inoue, A. 155 (1995) 55
Mayinger, F., see Wang, M.J. 155 (1995) 643
Miya, K., see Tsuji, H. 155 (1995) 527
Mochizuki, H., see Yabe, T. 155 (1995) 45
Moorthy, R.I.K., J.K. Sinha, A. Rama Rao, S.K. Sinha and A. Kakodkar, Diagnostics of direct CT–PT contact of the coolant channels of PHWRs 155 (1995) 591

Nagata, T., see Kasahara, N. 155 (1995) 499
Negishi, H., see Kasahara, N. 155 (1995) 499
Nelson, L.S., Steam explosions of single drops of pure and alloyed molten aluminum 155 (1995) 413

Ohashi, H., Y. Chen and M. Akiyama, Simulation of shock–interface interaction using a lattice Boltzmann model 155 (1995) 67
Ohsaki, T., see Takakura, K. 155 (1995) 559
Ozaki, H., see Takakura, K. 155 (1995) 559

Pilch, M.M., see Allen, M.D. 155 (1995) 475

Rama Rao, A., see Moorthy, R.I.K. 155 (1995) 591

Schatz, A., see Bürger, M. 155 (1995) 215
Schins, H., see Hohmann, H. 155 (1995) 391
Sienicki, J.J., see Chu, C.C. 155 (1995) 159
Sinha, J.K., see Moorthy, R.I.K. 155 (1995) 591
Sinha, S.K., see Moorthy, R.I.K. 155 (1995) 591
Skelton, W.T.W., M.F. Dowling and S.I. Abdel-Khalik, Effect of boric acid on the severity of vapor explosions in pure water and surfactant solutions 155 (1995) 359
Spencer, B.W., see Chu, C.C. 155 (1995) 159
Stirn, D.P., see Chavez, S.A. 155 (1995) 603
Sugimoto, J., see Yamano, N. 155 (1995) 369

Takahashi, K., see Inoue, A. 155 (1995) 55
Takahashi, M., see Inoue, A. 155 (1995) 55
Takahashi, S., see Wada, H. 155 (1995) 519
Takahashi, S., see Wada, H. 155 (1995) 547
Takakura, K., M. Ueta, M. Ichimiya, H. Hirayama, T. Ueno, H. Wada, H. Ozaki and T. Ohsaki, Development of elevated temperature structural design guide for Japanese demonstration breeder reactor 155 (1995) 559
Teschendorff, V., see Vijayan, P.K. 155 (1995) 623
Theofanous, T.G., see Angelini, S. 155 (1995) 115
Theofanous, T.G., see Yuen, W.W. 155 (1995) 289
Theofanous, T.G. and W.W. Yuen, The probability of alpha-mode containment failure 155 (1995) 459
Theofanous, T.G., The study of steam explosions in nuclear systems 155 (1995) 1
Tsuji, H. and K. Miya, Generating material strength standards of aluminum alloys for research reactors I. Yield strength values $S_y$ and tensile strength values $S_u$ 155 (1995) 527
Tsukimori, K., T. Yamashita, K. Iwata and A. Imazu, Development of FBR piping bellows joints in Japan 155 (1995) 571
Turland, B.D., D.F. Fletcher, K.I. Hodges and G.J. Attwood, Quantification of the probability of containment failure caused by an in-vessel steam explosion for the Sizewell B PWR 155 (1995) 445

Ueno, T., see Takakura, K. 155 (1995) 559
Ueno, T., see Wada, H. 155 (1995) 519
Ueno, T., see Wada, H. 155 (1995) 547
Ueta, M., see Takakura, K. 155 (1995) 559
Ueta, M., see Wada, H. 155 (1995) 519
Ueta, M., see Wada, H. 155 (1995) 547

Vijayan, P.K., H. Austregesilo and V. Teschendorff, Simulation of the unstable oscillatory behavior of single-phase natural circulation with repetitive flow reversals in a rectangular loop using the computer code ATHLET 155 (1995) 623

Wada, H., see Takakura, K. 155 (1995) 559
Wada, H., M. Ueta, M. Ichimiya, T. Ueno, H. Hirayama and S. Takahashi, Generating material strength standards of aluminum alloys for research reactors II. Design fatigue curve under non-effective creep condition 155 (1995) 547
Wada, H., M. Ueta, M. Ichimiya, T. Ueno, H. Hirayama and S. Takahashi, Proposal of a new estimation method of thermal ratchetting behavior of fast breeder reactor components 155 (1995) 519
Wang, M.J. and F. Mayinger, Simulation and analysis of thermal-hydraulic phenomena in a PWR hot leg related to SBLOCA 155 (1995) 643
Witt, R.J., see Chavez, S.A. 155 (1995) 603
Woods, A.W., A model of vulcanian explosions 155 (1995) 345

Xiao, F., see Yabe, T. 155 (1995) 45

Yabe, T., F. Xiao and H. Mochizuki, Simulation technique for dynamic evaporation processes 155 (1995) 45
Yamano, N., Y. Maruyama, T. Kudo, A. Hidaka and J. Sugimoto, Phenomenological studies on melt–coolant interactions in the ALPHA program 155 (1995) 369
Yamashita, T., see Tsukimori, K. 155 (1995) 571
Yerkess, A., see Hohmann, H. 155 (1995) 391
Yuen, W.W., see Angelini, S. 155 (1995) 115
Yuen, W.W., see Theofanous, T.G. 155 (1995) 459
Yuen, W.W. and T.G. Theofanous, The prediction of 2D thermal detonations and resulting damage potential 155 (1995) 289

Zimanowski, B., G. Fröhlich and V. Lorenz, Experiments on steam explosion by interaction of water with silicate melts 155 (1995) 335

ELSEVIER

Nuclear Engineering and Design 155 (1995) 661–662

Fusion Engineering and Design

# Subject Index of Volume 155

**Thermal and fluid design**

Simulation and analysis of thermal-hydraulic phenomena in a PWR hot leg related to SBLOCA, M.J. Wang and F. Mayinger 155 (1995) 643

**Engineering mechanics**

Advanced creep–fatigue evaluation rule for fast breeder reactor components: generalization of elastic follow-up model, N. Kasahara, T. Nagata, K. Iwata and H. Negishi 155 (1995) 499

Proposal of a new estimation method of thermal ratchetting behavior of fast breeder reactor components, H. Wada, M. Ueta, M. Ichimiya, T. Ueno, H. Hirayama and S. Takahashi 155 (1995) 519

**Materials properties**

Advanced creep–fatigue evaluation rule for fast breeder reactor components: generalization of elastic follow-up model, N. Kasahara, T. Nagata, K. Iwata and H. Negishi 155 (1995) 499

Proposal of a new estimation method of thermal ratchetting behavior of fast breeder reactor components, H. Wada, M. Ueta, M. Ichimiya, T. Ueno, H. Hirayama and S. Takahashi 155 (1995) 519

Generating material strength standards of aluminum alloys for research reactors. I. Yield strength values $S_y$ and tensile strength values $S_u$, H. Tsuji and K. Miya 155 (1995) 527

Generating material strength standards of aluminum alloys for research reactors. II. Design fatigue curve under non-effective creep condition, H. Tsuji and K. Miya 155 (1995) 547

Comparison of stress-based and strain-based creep failure criteria for severe accident analysis, S.A. Chavez, D.L. Kelly, R.J. Witt and D.P. Stirn 155 (1995) 603

**Mechanical design, component fabrication and testing**

Development of elevated temperature structural design guide for Japanese demonstration breeder reactor, K. Takakura, M. Ueta, M. Ichimiya, H. Hirayama, T. Ueno, H. Wada, H. Ozaki and T. Ohsaki 155 (1995) 559

Development of FBR piping bellows joints in Japan, K. Tsukimori, T. Yamashita, K. Iwata and A. Imazu 155 (1995) 571

Diagnostics of direct CT–PT contact of the coolant channels of PHWRs, R.I.K. Moorthy, J.K. Sinha, A. Rama Rao, S.K. Sinha and A. Kakodkar 155 (1995) 591

Comparison of stress-based and strain-based creep failure criteria for severe accident analysis, S.A. Chavez, D.L. Kelly, R.J. Witt and D.P. Stirn 155 (1995) 603

**Reactor concepts and systems analysis**

Diagnostics of direct CT–PT contact of the coolant channels of PHWRs, R.I.K. Moorthy, J.K. Sinha, A. Rama Rao, S.K. Sinha and A. Kakodkar 155 (1995) 591

Some features of the nuclear heating reactor (NHR) design in China, Y. Shi, H. Chang and D. Dong 155 (1995) 597

**Thermal-hydraulics and safety**

The study of steam explosions in nuclear systems, T.G. Theofanous 155 (1995) 1

Steam explosion triggering: a review of theoretical and experimental investigations, D.F. Fletcher 155 (1995) 27

Externally triggered steam explosion experiments: amplification or propagation?, R.E. Henry 155 (1995) 37

Simulation technique for dynamic evaporation processes, T. Yabe, F. Xiao and H. Mochizuki 155 (1995) 45

Transient film boiling under transient conditions related to vapor explosion (effects of transient flow and fragmentation under a shock pressure), A. Inoue, K. Takahashi, M. Takahashi and M. Matsuzaki 155 (1995) 55

Simulation of shock–interface interaction using a lattice Boltzmann model, H. Ohashi, Y. Chen and M. Akiyama 155 (1995) 67

Experimental study on simulated molten jet–coolant interactions, Sa. Kondo, K. Konishi, M. Isozaki, S. Imahori, A. Furutani and D.J. Brear 155 (1995) 73

Validation of the CHYMES mixing model, D.F. Fletcher and M.K. Denham 155 (1995) 85

Validation of CHYMES: simulant studies, R.W. Hall and D.F. Fletcher 155 (1995) 97

Premixing-related behavior of steam explosions, S. Angelini, W.W. Yuen and T.G. Theofanous 155 (1995) 115

Ex-vessel melt–coolant interactions in deep water pool: studies and accident management for Swedish BWRs, C.C. Chu, J.J. Sienicki, B.W. Spencer, W. Frid and G. Löwenhielm 155 (1995) 159

Breakup of melt jets as pre-condition for premixing: Modeling and experimental verification, M. Bürger, S.H. Cho, E.v. Berg and A. Schatz 155 (1995) 215

High pressure corium melt quenching tests in FARO, D. Magallon and H. Hohmann 155 (1995) 253

Propagation investigations using the CULDESAC model, D.F. Fletcher 155 (1995) 271

The prediction of 2D thermal detonations and resulting damage potential, W.W. Yuen and T.G. Theofanous 155 (1995) 289

Effect of boundary conditions on the propagation of a vapor explosion in stratified molten tin/water systems, D.L. Frost, B. Bruckert and G. Ciccarelli 155 (1995) 311

Experiments on steam explosion by interaction of water with silicate melts, B. Zimanowski, G. Fröhlich and V. Lorenz 155 (1995) 335

A model of vulcanian explosions, A.W. Woods 155 (1995) 345

Effect of boric acid on the severity of vapor explosions in pure water and surfactant solutions, W.T.W. Skelton, M.F. Dowling and S.I. Abdel-Khalik 155 (1995) 359

Phenomenological studies on melt–coolant interactions in the ALPHA program, N. Yamano, Y. Maruyama, T. Kudo, A. Hidaka and J. Sugimoto 155 (1995) 369

FCI experiments in the aluminum oxide/water system, H. Hohmann, D. Magallon, H. Schins and A. Yerkess 155 (1995) 391

Combined vapor and chemical explosions of metals and water, D.H. Cho, D.R. Armstrong and R.P. Anderson 155 (1995) 405

Steam explosions of single drops of pure and alloyed molten aluminum, L.S. Nelson 155 (1995) 413

On the likelihood that underwater metal ignition is a vapor phase phenomenon, M. Epstein and H.K. Fauske 155 (1995) 427

Quantification of the probability of containment failure caused by an in-vessel steam explosion for the Sizewell B PWR, B.D. Turland, D.F. Fletcher, K.I. Hodges and G.J. Attwood 155 (1995) 445

The probability of alpha-mode containment failure, T.G. Theofanous and W.W. Yuen 155 (1995) 459

Experimental results of integral effects tests with 1/10th scale Zion subcompartment structures in the Surtsey test facility, M.D. Allen, M.M. Pilch, R.O. Griffith and T.K. Blanchat 155 (1995) 475

Simulation of the unstable oscillatory behavior of single-phase natural circulation with repetitive flow reversals in a rectangular loop using the computer code ATHLET, P.K. Vijayan, H. Austregesilo and V. Teschendorff 155 (1995) 623